STATE OF DELAWARE
OFFICE OF MANAGEMENT AND BUDGET
OFFICE OF STATE PLANNING COORDINATION

February 20, 2025

Chris Flathers
Morris & Ritchie Associates, Inc.
111 Ruthar Drive
Newark, DE 19711

RE: PLUS review – 2025-01-05; Burbage Road

Dear Mr. Flathers:

Thank you for meeting with State agency planners on January 22, 2025, to discuss Burbage Road. According to the information received, you are seeking review of a proposed residential subdivision consisting of 104 detached single-family dwelling units on 48 acres. The site is classified as State Strategies Levels 2 and 3, zoned A-1 (Agricultural Residential District), and is currently undeveloped and used for agricultural purposes.

Please note that changes to the plan, other than those suggested in this letter, could result in additional comments from the State. Additionally, these comments reflect only issues that are the responsibility of the agencies represented at the meeting. **The developers will also need to comply with any Federal, State, and local regulations regarding this property. We also note that Sussex County is the governing authority over this land, the developers will need to comply with any and all regulations/restrictions set forth by the County.**

Strategies for State Policies and Spending

This project is located within Investment Levels 2 and 3 according to the 2020 Strategies for State Policies and Spending. This site is also located in the Coastal Area according to the Sussex County comprehensive plan.

Based on its location in a Level 2 and Level 3 investment area, this project may be consistent with the 2020 Strategies for State Policies and Spending. Investment Level 2 reflects areas where growth is anticipated by local, county, and state plans in the near-term future. Investment Level 3 reflects areas where growth is anticipated by local, county, and state plans in the longer-term future, or areas that may have environmental or other constraints to development.

Based on comments from State agencies, if this parcel contains environmental concerns or other constraints to development, the state requests that the applicant and the local jurisdiction work with state agencies to design the site with respect to those environmental features which will help create a more sustainable development.

Code Requirements/Agency Permitting Requirements

Department of Transportation – Contact Stephen Bayer 302-760-4834

- The site access on Burbage Road must be designed in accordance with DelDOT's Development Coordination Manual, which is available at http://www.deldot.gov/Business/subdivisions/index.shtml?dc=changes.

- Pursuant to Section P.3 of the Manual, a Pre-Submittal Meeting is required before plans are submitted for review.

- Section P.5 of the Manual addresses fees that are assessed for the review of development proposals. DelDOT anticipates collecting the Initial Stage Fee when the record plan is submitted for review and the Construction Stage Fee when construction plans are submitted for review.

- In terms of traffic analysis and based on the expected trip generation this project will qualify for the Area Wide Study Fee (AWSF). This project is located in an area anticipated to be in the future Roxana Transportation Improvement District (TID). This TID will not be operational for at least a year. If your development timeline allows participation in the TID may be an option in place of the AWSF.

- In accordance with Section 3.8 of the Manual, storm water facilities, excluding filter strips and bioswales, shall be located a minimum of 20 feet from the ultimate State right-of-way along Burbage Road.

- As necessary, in accordance with Section 3.2.5 and Figure 3.2.5-a of the Development Coordination Manual, DelDOT will require dedication of right-of-way along the site's frontage on Burbage Road. By this regulation, this dedication is to provide a minimum of 30 feet of right-of-way from the outside edge of the northbound travel lanes. The following right-of-way dedication note is required, "An X-foot wide right-of-way is hereby dedicated to the State of Delaware, as per this plat."

- In accordance with Section 3.2.5.1.2 of the Manual, DelDOT will require the establishment of a 15-foot wide permanent easement across the property frontage on Burbage Road. The location of the easement shall be outside the limits of the ultimate

right-of-way. The easement area can be used as part of the open space calculation for the site. The following note is required, "A 15-foot wide permanent easement is hereby established for the State of Delaware, as per this plat."

- Section 3.5.4.2 of the Development Coordination Manual addresses requirements for Shared Use Paths (SUP) and sidewalks. For projects in Level 1 and 2 Investment Areas, installation of paths or sidewalks along the frontage on State-maintained roads is required. DelDOT anticipates requiring a SUP along the site frontage on Burbage Road.

Department of Natural Resources and Environmental Control – Contact Beth Krumrine 302-735-3480

Staff from the Delaware Department of Natural Resources and Environmental Control (DNREC) reviewed the project submitted for PLUS review. The absence of comments regarding specific resources does not indicate that there are not additional constraints or environmental issues on site, nor does it indicate DNREC support of a project.

Stormwater Management

The project proposes greater than 5,000 square feet of land disturbing activities and will be subject to Delaware's *Sediment and Stormwater Regulations*.

- Special considerations: Please be aware that the proposed stormwater management facility in the northwest corner is located close to an existing borrow area on the adjacent property.
- A Sediment and Stormwater Plan must be developed, then approved by the appropriate plan review agency, prior to any land disturbing activity taking place on the site. For this project, the plan review agency is the Sussex Conservation District.
- Additionally, to address federal requirements, construction activities that exceed 1.0 acre of land disturbance require Construction General Permit coverage through submittal of an electronic Notice of Intent for Stormwater Discharges Associated with Construction Activity. This form must be submitted electronically https://enoi.dnrec.delaware.gov/, (select Construction Stormwater General Permit) to the DNREC Division of Watershed Stewardship, along with the $195 fee.
- Schedule a project application meeting with the appropriate plan review agency prior to moving forward with the stormwater and site design. As part of this process, you must submit a Stormwater Assessment Study.

Plan review agency contact: Sussex Conservation District at (302) 856-2105 or (302) 856-7219. Website: https://www.sussexconservation.org/

General Stormwater contact: DNREC Sediment and Stormwater Program at (302) 739-9921.
E-mail: DNREC.Stormwater@delaware.gov.
Website: https://dnrec.delaware.gov/watershed-stewardship/sediment-stormwater/

Tax Ditches

The Main Prong of the St. Georges Tax Ditch lies on the southeastern portion of the site. Tax ditches are man-made channels created to move normal water flow off agricultural lands. These channels have associated tax ditch Rights-of-Way (ROW) that are utilized for access as well as sediment and debris disposal during maintenance. Tax ditch ROWs vary by channel size and location. The Main Prong of the St. Georges Tax Ditch has an 80-foot to Centerline (CL) ROW extending into the project boundary.

- If the site and/or stormwater management features are designed to discharge into Main Prong of the St. Georges Tax Ditch, the design must consider existing conditions versus design specifications. Please consult with the DNREC Drainage Program for As-Built design information if necessary.

- Contact the DNREC Drainage Program to discuss the on-site tax ditch ROWs prior to the project application meeting with the appropriate plan review agency for construction stormwater management.

- Permanent obstructions including, but not limited to, stormwater management facilities, buildings, sheds, streets, wells, and septic systems are not allowed within the tax ditch ROWs.

- Existing tax ditches on the property must be surveyed and compared to tax ditch design specifications for effective function. The channel should be cleared or excavated prior to the construction of the project if needed.

- All precautions should be taken to ensure the project does not hinder any off-site drainage upstream or create any off-site drainage problems downstream due to increases in stormwater.

Contact: DNREC Drainage Program at (302) 855-1930.
Website: https://dnrec.delaware.gov/drainage-stormwater/
Tax Ditch Mapper: de.gov/taxditchmap
Tax Ditch guidelines: https://documents.dnrec.delaware.gov/swc/Drainage/Documents/Tax-Ditch-Land-Development-Guidelines.pdf

Wetlands and Waterways

Maps from the Statewide Wetlands Mapping Project indicate the potential presence of non-tidal wetlands in the northeast location of the site, as well as a perennial stream perpendicular to the eastern property boundary. The application indicates that wetlands have been delineated, results are pending, and no anticipated direct impacts to the wetlands/waterways.

State Requirements:

- If plans change and wetlands are disturbed, please contact the Wetlands and Waterways Section for more information on permitting requirements.

- Include all wetland boundaries, streams, and waterways on site plans.

State Contact: DNREC Wetlands and Waterways Section at (302) 739-9943.
Website: https://dnrec.delaware.gov/water/wetlands/

Wastewater Disposal Systems – Large Systems

For wastewater conveyance offsite by way of a new sewer connection, flow rates exceeding 2,500 gallons of liquid waste per day will require a Wastewater Pollution Collection and Conveyance (WPCC) permit from the Commercial and Government Services section.

Contact: DNREC Commercial and Government Services Section at (302) 739-9948.
Website: https://dnrec.delaware.gov/water/commercial-government/

Electric Vehicle Charging Requirements

Electric vehicle charging infrastructure is now required for all residential dwellings in Delaware (see 80 Del. Laws, c. 145 § 8001- § 8006) for which:

1. A building permit is issued on or after January 1, 2024 (single family), or

2. The final site plan is approved on or after January 1, 2025 (multi-family).

3.

Requirements are summarized below. Consult the Delaware Code directly for further details.

Single-family Dwellings, effective 2024:

- The developer of a single-family residential dwelling shall install at least one electric vehicle capable parking space at each single-family residential dwelling constructed.

- If the single-family residential dwelling does not have an attached or detached garage, an electric vehicle capable parking space must be provided in the driveway, assigned parking space for the dwelling, or at an unassigned non-street residential parking space constructed as part of the project.

Delaware Emergency Management Agency – Contact Phillip Cane 302-659-2325

Proposed Project Parcel Flood Concern

- This parcel is located within an area of **Minimal Flood Concern of 1000 years or greater**.

Parcel Status within County Evacuation Zone Location

- The parcel is located within Sussex County's Evacuation Zone C.

Parcel Status within the 10-mile Emergency Planning Zone (EPZ) for the Salem Nuclear Power Plant

- The parcel **is not** located within the 10-mile EPZ for the Salem Nuclear Power Plant.

State Historic Preservation Office – Contact Carlton Hall 302-736-7400

- The nearest water source is Clarksville Branch, which appears to have been channelized to some degree. The parcel has soils ranging from somewhat excessively drained to moderately well drained. There is a historic church complex directly to the north. If the cemetery has not been fully identified and delineated, there is a small chance based on the proximity for unmarked human remains. This is most likely not a true concern, but the applicant should be aware of the Unmarked Human Remains Act.

- The potential for precontact archaeology is low and the potential for historic archaeology is low. We do not recommend any archaeological survey for this project.

If there are any questions, inquiries, or concerns, feel free to contact the Delaware State Historic Preservation Office for assistance at 302-736-7400.

Delaware State Fire Marshall's Office – Contact Duane Fox 302-739-4394
This document is for information purposes only and does not constitute any type of approval from the Delaware State Fire Marshal's Office.

Fire Protection Water Requirements:

- Where a water distribution system is proposed for single-family dwellings, it shall be capable of delivering at least 500 gpm for 1-hour duration, at 20-psi residual pressure. Fire hydrants with 800 feet spacing on centers are required. (One & Two- Family Dwelling)

- One- and Two-Family dwellings are required by law to offer the homeowner an automatic sprinkler system, therefore infrastructure should accommodate water needs.

- Where a water distribution system is proposed for the site, the infrastructure for fire protection water shall be provided, including the size of water mains for fire hydrants and sprinkler systems.

Accessibility

- All premises, which the fire department may be called upon to protect in case of fire, and which are not readily accessible from public roads, shall be provided with suitable gates and access roads, and fire lanes so that all buildings on the premises are accessible to fire apparatus. This means that the access road to the subdivision from Burbage Road must be constructed so fire department apparatus may negotiate it.

- Fire department access shall be provided in such a manner so that fire apparatus will be able to locate within 100 ft. of the front door.

- Any dead-end road more than 300 feet in length shall be provided with a turn-around or cul-de-sac arranged such that fire apparatus will be able to turn around by making not more than one backing maneuver. The minimum paved radius of the cul-de-sac shall be 38 feet. The dimensions of the cul-de-sac or turn-around shall be shown on the final plans. Also, please be advised that parking is prohibited in the cul-de-sac or turn around.

- The use of speed bumps or other methods of traffic speed reduction must be in accordance with Department of Transportation requirements.

- The local Fire Chief, prior to any submission to our Agency, shall approve in writing the use of gates that limit fire department access into and out of the development or property.

Gas Piping and System Information:

- Provide type of fuel proposed and show locations of bulk containers on plan.

Required Notes:

- Provide a note on the final plans submitted for review to read "All fire lanes, fire hydrants, and fire department connections shall be marked in accordance with the Delaware State Fire Prevention Regulations."
- Proposed Use
- Alpha or Numerical Labels for each building/unit for sites with multiple buildings/units
- Square footage of each structure (Total of all Floors)
- National Fire Protection Association (NFPA) Construction Type
- Maximum Height of Buildings (including number of stories)
- Townhouse 2-hr separation wall details shall be shown on site plans
- Note indicating if building is to be sprinklered
- Name of Water Provider
- Letter from Water Provider approving the system layout
- Provide Lock Box Note (as detailed in DSFPR) if Building is to be sprinklered
- Provide Road Names, even for County Roads

Recommendations/Additional Information

This section includes a list of site-specific suggestions that are intended to enhance the project. These suggestions have been generated by the State Agencies based on their expertise and subject area knowledge. **These suggestions do not represent State code requirements.** They are offered here in order to provide proactive ideas to help the applicant enhance the site design, and it is hoped **(but in no way required)** that the applicant will open a dialogue with the relevant agencies to discuss how these suggestions can benefit the project.

Department of Transportation – Contact Stephen Bayer 302-760-4834

- The applicant should expect a requirement that all PLUS and Technical Advisory Committee (TAC) comments be addressed prior to submitting plans for review.
- Please be advised that the Standard General Notes have been updated and posted to the DelDOT website. Please begin using the new versions and look for the revision dates of March 21, 2019 and March 16, 2021. The notes can be found at https://www.deldot.gov/Business/subdivisions/

Department of Natural Resources and Environmental Control – Contact Beth Krumrine 302-735-3480

Removal of Mature Forest

The preliminary plan proposes the elimination of approximately 34 of 38 acres of forest on the site. An analysis of historical data indicates that the forest area located on the northeast and southeast portion of the site has likely maintained some degree of forest cover since 1937 and could be considered mature forest. Mature forests possess the potential for rare, threatened, or endangered species that rely on this type of habitat. Forests filter water for improved water quality, provide habitat for wildlife, absorb nutrients, infiltrate stormwater, moderate temperatures, and store atmospheric carbon which would otherwise contribute to climate change.

- Removing forested areas for development, especially mature forests, should be avoided to the greatest extent possible.

- In general, contiguous forest and connected areas of natural habitat are more beneficial to wildlife, allowing for safer movement from one area to another while reducing roadway mortality.

- To reduce impacts to nesting birds and other wildlife species that utilize forests for breeding, it is recommended that tree clearing not occur from April 1st to July 31st.

Contact: DNREC Division of Fish and Wildlife, Species Conservation and Research Program at (302) 735-3600. Website: https://dnrec.delaware.gov/fish-wildlife/contact-information/

Forested Wetlands and Vegetated Buffer Zones

Maps from the Statewide Wetlands Mapping Project indicate the potential presence of forested wetlands on the northeast portion of the site. This habitat type is known to support an array of plants and animals, most notably wetland dependent species such as amphibians.

To reduce impacts to these species, the following is recommended:

- Do not disturb forested wetlands. Increase upland buffer to at least 100 feet along all wetlands, waterways, and sensitive habitats, including those containing existing forest or natural vegetative cover.

- Maintain habitat connections to undeveloped open space, which are especially important for species movement across the landscape.

- Vegetated buffer zones should be identified outside of the Limit of Disturbance on the engineering plans.

- Maintain vegetated buffer zones as native species meadows or forest.

- Vegetated buffer zones should be deeded as community open space and not contained within any lot lines. Signage should be installed at the edge and within the buffer zones to deter residents from encroaching into these common areas.

Contact: DNREC Division of Fish and Wildlife, Species Conservation and Research Program at (302) 735-3600. Website: https://dnrec.delaware.gov/fish-wildlife/conservation/

Stormwater Management

- Where the site and soil conditions allow, integrate runoff reduction techniques including infiltration basins, bioretention (rain gardens), filter strips, and pavers to encourage on-site stormwater infiltration and reduce runoff.

- For improved stormwater management, preserve existing trees, wetlands, and passive open space.

Plan review agency contact: Sussex Conservation District at (302) 856-2105 or (302) 856-7219. Website: https://www.sussexconservation.org/

General stormwater contact: DNREC Sediment and Stormwater Program at (302) 739-9921.
E-mail: DNREC.Stormwater@delaware.gov.
Website: https://dnrec.delaware.gov/watershed-stewardship/sediment-stormwater/

Tax Ditches

- All existing ditches on the property should be evaluated for function and cleaned, if needed, prior to the construction of the project.

- Environmental permits or exemptions may be required by the County Conservation District (Standard Plan), the DNREC Sediment and Stormwater Program (eNOI/NOT), Army Corp of Engineers, and/or DNREC Wetlands and Waterways Section prior to clearing and/or excavating ditch channels.

Contact: DNREC Drainage Program at (302) 855-1930.
Website: https://dnrec.delaware.gov/drainage-stormwater/
Tax Ditch Mapper: de.gov/taxditchmap
Tax Ditch guidelines: https://documents.dnrec.delaware.gov/swc/Drainage/Documents/Tax-Ditch-Land-Development-Guidelines.pdf

Water Quality

This site lies within the Indian River Bay Watershed. Surface water quality in this watershed does not meet Federal and/or State Water Quality Standards and a Pollution Control Strategy is in place for this watershed.

- Implement vegetated buffers with a width of at least 100 feet around all water features on or adjacent to the site.

- Reduce impervious surfaces on the project site by eliminating areas of impervious pavement and/or using pervious pavement where practicable.

- Reduce stormwater runoff by integrating infiltration basins, bioretention (rain gardens), filter strips, and by preserving existing trees, wetlands, and passive open space.

- Reduce the necessity for nutrient application by maintaining open space as meadow or forest planted exclusively with native plants. Native plants are well-suited to our climate and require limited maintenance.

Contact: DNREC Division of Watershed Stewardship's Watershed Assessment Section at (302) 739-9939. https://dnrec.alpha.delaware.gov/watershed-stewardship/

Sustainable Practices

- Incorporate nonmotorized connectivity and install bicycle racks where feasible to help facilitate non-vehicular travel modes.

- Offer the option to install solar or geothermal systems for each home. This allows a purchaser to incorporate the cost into their mortgage, making it more affordable. For community facilities, consider using renewable energy infrastructure such as solar or geothermal to reduce energy costs and further reduce pollution created from offsite generation. Grant funds and incentives are available for Delmarva Power customers through the DNREC Green Energy Fund, which includes several funding types through the state's major electric utilities (https://dnrec.delaware.gov/climate-coastal-energy/renewable/assistance/).

- Consider planting select areas with native trees. Native trees improve air, water, and soil quality. Planting and nurturing trees is also a nature-based solution to reducing the greenhouse gases that drive climate change. In addition, native trees have an increasingly important role in the survival of native birds and beneficial insects whose habitat is shrinking due to development and climate change.

- Consider planting select areas with meadow comprised of native species. Native plants are well-suited to our climate and require limited maintenance. Mowing in these areas should not occur between April 1st to July 31st to reduce impacts to nesting birds and other wildlife species that utilize meadows and grasslands for breeding habitat.

- Use efficient Energy Star rated products and materials in construction and redevelopment. Energy efficient appliances use less energy over time. This saves consumers and businesses money, while also helping to reduce pollution from power generation.

- Use structural paint coatings that are low in Volatile Organic Compounds to help protect air quality. Air pollution from new construction is generated through the use of maintenance equipment, paints, and consumer products like roof coatings and primers.

- Use recycled materials, such as reclaimed asphalt pavement, to reduce heat island effects on paved surfaces, prevent landfill waste, and lower material costs.

Contact: DNREC Division of Climate, Coastal & Energy at (302) 735-3480.
Website: https://dnrec.delaware.gov/climate-coastal-energy/

Delaware Emergency Management Agency – Contact Phillip Cane 302-659-2325

Population

- The county has a population density of 265.60 per square mile based on the US 2020 Census report; an increase from 2010 at 208.90 persons per square mile. The specific census block(s) the project is located on has a total population of 44, though, with development, this will undoubtedly change. The 11 adjacent blocks aggregated bring the area to a total population of 555.

FEMA National Risk Index

- The FEMA National Risk Index is an online mapping application that identifies communities most at risk to 18 natural hazards: Avalanche, Coastal Flooding, Cold Wave, Drought, Earthquake, Hal, Heat Wave, Hurricane, Ice Storm, Landslide, Lightning, Riverine Flooding, Strong Wind, Tornado, Tsunami, Volcanic Activity, Wildfire, and Winter Weather. The FEMA National Risk Index is calculated by multiplying the Expected Annual Loss times the Social Vulnerability and dividing that by the Community Resilience.



- According to FEMA's National Risk Index, the parcel **is** considered **relatively moderate** for overall natural hazards risks.

- Community Resilience is a consequence reduction risk component and a community risk factor that represents the ability of a community to prepare for anticipated natural hazards, adapt to changing conditions and withstand/recover rapidly from disruptions. Social Vulnerability is a consequence-enhancing risk factor that represents the susceptibility of social groups to the adverse impacts of natural hazards.

- Its community resilience is rated as **relatively moderate** whereas its social vulnerability is rated as **relatively low.**

Renewable Energy Commitment

- Regarding energy use and consumption, the census tract utilizes **electricity** as the predominant fuel type for heating purposes.

- DEMA strongly encourages the use of renewable energies and high-efficiency appliances and utilities. Regarding utilities, DEMA suggests incorporating 90% series furnaces/HVAC systems; the closer to 99%, the better, as well as A/C units of 20 Seer or greater. DEMA recommends using tankless water heaters, and battery backup systems for sump pumps to reduce potential water damage from power failure. Lastly, DEMA encourages the integration of modern and emerging technologies, such as the potential for electric vehicles in garages/parking lots, green roofs or solar panels where applicable and allowable, and the like.

- Lastly, in reference to the county evacuation zones, DEMA encourages this information be made readily available to any and all persons residing there. This can be done simply through pamphlets or a neighborhood sign.

Delaware State Housing Authority - Contact Rachel Alfano 302-739-4263

- DSHA does not support nor oppose this proposal for 104 single-family detached units on 48 acres located on the North side of Burbage Road and East of Powell Farm Road in Sussex County. This proposal is consistent with State Strategy Investment levels 2 and 3.

- According to DSHA's Housing Reform Map, this project is in an Area of Opportunity where diverse housing types should be supported. This market-rate proposal offers higher-density housing options more responsive to household size and a more affordable option to first-time homebuyers. DSHA believes that this development will increase the diversity of housing types in the area and continue to foster balance and stability. DSHA also encourages higher-density housing.

If you have questions or would like more information on the above recommendations, please feel free to e-mail at Rachel.Alfano@Delaware.gov.

Delaware State Fire Marshall's Office – Contact Duane Fox 302-739-4394
Preliminary meetings with fire protection specialists are encouraged prior to formal submittal. Please call for appointment. Applications and brochures can be downloaded from our website: www.statefiremarshal.delaware.gov, technical services link, plan review, applications or brochures.

Following receipt of this letter and upon filing of an application with the local jurisdiction, the applicant shall provide to the local jurisdiction and the Office of State Planning Coordination a written response to comments received as a result of the pre-application process, noting whether comments were incorporated into the project design or not and the reason, therefore.

Thank you for the opportunity to review this project. If you have any questions, please contact me at 302-739-3090.

Sincerely,



David L. Edgell, AICP
Director, Office of State Planning Coordination

Attachments:
Sussex County Community Development & Housing Comments

BRANDY BENNETT NAUMAN
DIRECTOR OF COMMUNITY
DEVELOPMENT & HOUSING
(302) 855-7777 T
(302) 854-5397 F
bnauman@sussexcountyde.gov

Sussex County
DELAWARE
sussexcountyde.gov

January 30, 2025

Mr. Chris Flathers
Morris & Ritchie Associates, Inc.
111 Ruthar Drive
Newark, DE 19711

RE: PLUS Review (PLUS 2025-01-05) – Burbage Road

Dear Mr. Flathers,

Sussex County endeavors to promote non-discrimination and affordable housing whenever possible throughout the County. In this regard, the developer and associated financial institutions are encouraged to provide and finance affordable housing opportunities to Sussex County residents in all new developments, and affirmatively market those affordable housing units to diverse populations.

For questions about opportunities available for affordable housing projects within Sussex County, please consult Sussex County's "Affordable Housing Support Policy". The policy along with other resources are available on the County's Affordable & Fair Housing Resource Center website: www.sussexcountyde.gov/affordable-and-fair-housing-resource-center. The County's Community Development & Housing Department can advise about existing affordable housing opportunities in Sussex County and the appropriate County Department to contact regarding specific development issues concerning future affordable housing projects within Sussex County.

The Community Development & Housing Department can also explain and assist with any financial support or incentives that may be available to a project from federal, state, and county sources, as well as private funding sources that also promote affordable housing in Sussex County. **Please visit www.sussexcountyde.gov/housing-trust-fund for information on the County's Housing Trust Fund.**

Further, the County's newly approved Work Force Housing Zoning Ordinance permits up to 12 units per acre, by right, in eligible areas for projects that set aside 25% of the total units for affordable rentals. For more information on eligibility and design criteria, please review the Ordinance at www.sussexcountyde.gov/affordably-priced-rental-units . The application can be found on the Planning & Zoning website at https://sussexcountyde.gov/sites/default/files/forms/SussexCountyRentalProgram_Application.pdf .

Please understand that all residential projects, including Affordable Housing Projects are subject to the applicable provisions of the Sussex County Subdivision and Zoning Codes, and the approval processes set forth in those Codes.

On behalf of Sussex County, we look forward to cooperating with you and your project as it moves forward.

Thank you,



Brandy B. Nauman
Director